

References

- Health Canada. (2002). *Folic acid for the primary prevention of neural tube defects (NTDs)*. Retrieved June 27, 2006, from: http://www.hc-sc.gc.ca/ahc-asc/media/nr-cp/2002/2002_12bk1_e.html
- Honebrink, A. (1999). Folic acid and the prevention of neural tube defects. *American College of Obstetricians and Gynecologists Clinical Review*, 4(5) as cited in Morin, V.I., Mondor, M., & Wilson, R.D. (2001). Knowledge on periconceptional use of folic acid in women in British Columbia, *Fetal Diagnosis and Therapy*, 16:111-115.
- Laxdal, O.E., Habbick, B., & Bolaira, R. (1993). Folic acid prevents neural tube defects. *Saskatchewan Medical Journal*, 4(1).
- Molloy, A.M. (2002). Bioavailability and health. *International Journal for Vitamin and Nutrition Research*, 72(1):46-52.
- Moore, L.L., Bradlee, M.L., Singer, M.R., Rothman, K.J., Milunsky, A. (2003). Folate intake and the risk of neural tube defects: an estimations of dose-response. *Epidemiology*, 14(2):200-5.
- SBAA Web Resources. (2001). <http://www.sbaa.org>
- SOGC's Genetics Committee and Council. (1993). *The use of folic acid for the prevention of neural tube defects* (Policy Statement). Ottawa.
- Van Allen, M.I., McCourt, C., & Less, N.S. (2002). Preconception health: Folic acid for the primary prevention of neural tube defects. A resource document for health professionals. Ottawa, Ontario: Minister of Public Works and Government Services Canada.